

Pinza Idraulica CP210

Peso Operativo

Working Weight	kg	180
Poids d'Exploitation		

Peso Macchina Portante

Carrier's weight	ton	1-3
Poids de la Pelle		

Forza Cilindro

Cylinder Force	ton	40
Force du Cylindre		

Pressione di Esercizio Cilindro

Cylinders Working Pressure	bar	200
Pression de service du Cylindre		

Portata Olio Cilindro

Cylinder Oil Flow	l/min	20-30
Débit d'huile de Cylindre		

Pressione di esercizio Rotazione

Rotation engine Pressure	bar	40
Pression de Fonctionnement de Rotation		

Portata olio rotazione (min/max)

Rotation oil flow (min/max)	l/min	10
Débit d'huile de rotation (min/max)		

Apertura massima chele PR (A)


Max jaws opening PR	mm	328
Ouverture maximale des griffes PR		

Altezza totale attrezzatura (B)

Total height	mm	970
Hauteur de l'étrier		

Rotazione 360°

Rotation 360°	Idraulica
Rotation 360°	






SPECIFICHE TECNICHE

rev. 02/23 1.0

Peso operativo / Peso operativo		Kg	380
Peso macchina portante / Peso maquina portadora		ton	2/10
Portata olio escavatore / Caudal de aceite		l/min	30/50
Pressione di esercizio / Presión de trabajo		bar	250
Portata di olio rotazione / Caudal de aceite rotación		l/min	2/3
Pressione esercizio rotazione / Presión rotación		bar	80
Forza del cilindro / Fuerza cilindro		ton	21
A1-PR		mm	380
A2-SC		mm	220
A3-FR		mm	--
A4-FR KIT		mm	365
B		mm	1100

□ SC

I	mm	80
I	mm	60
O	mm	25



Promove srl

Via Luigi Gambardella 10 - 70056 Molfetta, Bari - Italy

+39 080 3387054

+39 393 9163160

promovedemolition.com

info@promovedemolition.com






SPECIFICHE TECNICHE

rev. 04/23 1.2

Peso operativo / Peso operativo		Kg	620
Peso macchina portante / Peso maquina portadora		ton	5/11
Portata olio escavatore / Caudal de aceite		l/min	60/120
Pressione di esercizio / Presión de trabajo		bar	300
Portata di olio rotazione / Caudal de aceite rotación		l/min	10/12
Pressione esercizio rotazione / Presión rotación		bar	100
Forza del cilindro / Fuerza cilindro		ton	34
A1-PR		mm	580
A2-SC		mm	310
A3-FR		mm	--
A4-FR KIT		mm	580
B		mm	1500

□ SC

I	mm	100
I	mm	70
O	mm	30



Promove srl

Via Luigi Gambardella 10 - 70056 Molfetta, Bari - Italy

+39 080 3387054

+39 393 9163160

promovedemolition.com

info@promovedemolition.com

